Acute Myocardial Infarction Deaths, by Sex and Age, Maine, 2009

	Number	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
Maine Total	569	43.2	39.7 - 46.9	33.4	30.7 - 36.3
US	NA	NA	NA	37.8	37.6 - 38.0
Gender					
Male	323	50.2	44.9 - 56.0	46.0	41.1 - 51.5
Female	246	36.5	32.0 - 41.3	23.9	21.0 - 27.2
Age					
Less than 45	10	1.4*	0.7 - 2.6	NApp	NApp
45-64	115	28.7	23.7 - 34.4	NApp	NApp
65 and older	444	215.9	196.3 - 237.0	NApp	NApp

Acute Myocardial Infarction Deaths, by Year, Maine, 1999-2009

Year	Number of	Crude Rate		Age-adjusted Rate	
	Deaths	Rate	95% CI	Rate	95% CI
1999	937	74.0	69.3 - 78.9	65.6	61.5 - 70.0
2000	886	69.4	64.9 - 74.1	60.6	56.6 - 64.7
2001	840	65.4	61.0 - 70.0	56.4	52.6 - 60.3
2002	813	62.8	58.6 - 67.3	53.7	50.0 - 57.5
2003	786	60.2	56.1 - 64.6	50.7	47.2 - 54.4
2004	706	53.6	49.7 - 57.7	44.8	41.6 - 48.3
2005	685	51.8	48.0 - 55.9	42.3	39.1 - 45.6
2006	655	49.6	45.8 - 53.5	40.4	37.3 - 43.6
2007	635	48.2	44.5 - 52.1	38.5	35.6 - 41.7
2008	605	46.0	42.4 - 49.8	36.1	33.3 - 39.2
2009	569	43.2	39.7 - 46.9	33.4	30.7 - 36.3

Data Source: Maine Mortality Database; Data, Research, and Vital Records Program, Maine CDC.

Acute myocardial infarction deaths are defined as deaths in which the underlying cause of death is coded as I21-I22.

Crude rates are deaths per 100,000 population.

Age-adjusted rates are deaths per 100,000 population age-adjusted to the U.S. 2000 standard population.

95% CI: 95% confidence interval of the rate.

Napp: Not applicableage-adjusted rates are not calculated for age-specific groups.

^{*}Rates are flagged as unreliable when the rate is calculated with a numerator of 20 or less